



L • Y • N • X®
D e s i g n s f o r l i f e

Aluminum Facades look & feel like wood

Beautiful facades – for a lifetime



Siding Profile



Contura



Accent



Click Profile

STOUN
apdailos medžiagų salonas



LYNX Designs



Lynx Designs presents aluminum building materials as the perfect alternative for anyone who appreciates the natural look of wooden facades but wants the advantages of aluminum.

Popular among Architects and Builders

In recent years, more and more building owners and architects have opted for this type of facade cladding. The reason for this? They are looking for materials that not only offer the natural look of wooden facades, but are also low-maintenance, fire-resistant, environmentally friendly and sustainable. The LYNX aluminum facade with a wood look has proven to be a particularly attractive option.

Unsurpassed durability

A standout feature of the wood-look aluminum facade is its impressive durability. Unlike traditional wooden facades that can rot, splinter, or crack, an aluminum facade is extremely resistant. It withstands pests and also offers fire-proof protection, adding an extra layer of safety for buildings.

An outstanding feature of the wood-look aluminum facade is its impressive durability.



LYNX Fassade
made of 6" Click Profiles,
Ruby Pine



LYNX Facade made of
150 mm Siding Profiles,
Royal Oak

Maintenance Ease and Environmental Awareness

While wooden facades require regular care, our wood-look aluminum facades need minimal effort. No painting, no sealing – just simple cleaning with soap and water. And in terms of eco-friendliness, they are on par with traditional wooden facades. In fact, aluminum is 100% recyclable, leading to significantly less environmental impact. Additionally, the longevity of an aluminum facade reduces the need for replacement materials, as well as care and cleaning products.



Guaranteed and Certified

LYNX itself guarantees a 10-year warranty. The certified fire protection comes from the independent QAI Laboratories in California and, as a German company, we naturally attach great importance to the ›German engineering‹ label.



LYNX room divider,
Indoor, made from various
Lynx Profiles, Royal Oak.


A wide range of decors is possible within the LYNX system. All profiles can be combined with each other.



Alpine Ash 01



Royal Oak 02



Silver Beech 03


These are six example decors. Five of them in deceptively real wood reproduction. Long-lasting beauty, just like on the first day.



American Walnut 04



Ruby Pine 05



Anthracite 21

Our aluminum profiles get their distinctive, unmistakable appearance from the LYNX special foils. No matter what style you design your house in, our colors are appropriately coordinated.

Choose from a wide range of decors - the standard colors are determined on a customer-specific basis. A UV protection film ensures color fastness even after many years of intense sunlight, giving your facade a unique appearance.

Elegant Look and Feel

The high flexibility of our foils prevents shrinking and associated cracking. Thanks to the

deep embossing of the surface, our panels also tactically convey the impression of wood. This is what makes our products so attractive for use in interior spaces.

Highest Color Fastness

All our profiles are highly lightfast according to the xenon test. The xenon arc test is currently the most reliable test to simulate the long-term influence of sunlight and moisture on the surface of a product.

You can also try out our LYNX color selector at www.lynx-designs.com/color1



LYNX Colors



STOLIN

The LYNX Slat

Due to the high-precision manufacturing of our profiles, the LYNX sidings click into place with absolute accuracy. The clever tongue-and-groove connection always results in a reveal of 4 mm. The installation of the profiles is carried out using a special stainless steel screw. Facade Panel and Contura profile can be installed seamlessly and mixed



LYNX 100 mm SIDING PROFILE



LYNX401201

12 x 100 mm Profile
Alpine Ash
(H x W x L) 12 x 100 x 3650 mm



LYNX401202

12 x 100 mm Profile
Royal Oak
(H x W x L) 12 x 100 x 3650 mm



LYNX401203

12 x 100 mm Profile
Silver Beech
(H x W x L) 12 x 100 x 3650 mm



LYNX401204

12 x 100 mm Profile
American Walnut
(H x W x L) 12 x 100 x 3650 mm



LYNX401205

12 x 100 mm Profile
Ruby Pine
(H x W x L) 12 x 100 x 3650 mm



LYNX401221

12 x 100 mm Profile
Anthracite
(H x W x L) 12 x 100 x 3650 mm



All 150 mm LYNX Siding Profiles are also available perforated or rear ventilation in special applications (e.g. roof soffits).

LYNX 150 mm SIDING PROFILE



LYNX601201
12 x 150 mm Profile
Alpine Ash
(H x W x L) 12 x 150 x 3650 mm



LYNX601202
12 x 150 mm Profile
Royal Oak
(H x W x L) 12 x 150 x 3650 mm



LYNX601203
12 x 150 mm Profile
Silver Beech
(H x W x L) 12 x 150 x 3650 mm



LYNX601204
12 x 150 mm Profile
American Walnut
(H x W x L) 12 x 150 x 3650 mm




LYNX601205
12 x 150 mm Profile
Ruby Pine
(H x W x L) 12 x 150 x 3650 mm



LYNX601221
12 x 150 mm Profile
Anthracite
(H x W x L) 12 x 150 x 3650 mm




LYNX-CONTURA



In combination with our Siding Profiles, these unique profiles create a modern, striking relief facade. They are available in 3 different dimensions (30, 50 and 70 mm) and can be combined with our two different width facade panels. This

provides sufficient variation options and enables completely new aluminum facades that can be installed both vertically and horizontally.

LYNX Makes it Possible!



LYNX Contura 30

30 x 50 mm Profile
(H x W x L) 30 x 50 x 3650 mm

LYNXCO20341201

Alpine Ash

LYNXCO20341202

Royal Oak

LYNXCO20341203

Silver Beech

LYNXCO20341204

American Walnut

LYNXCO20341205

Ruby Pine

LYNXCO20341221

Anthracite



LYNX Contura 50

50 x 50 mm Profile
(H x W x L) 50 x 50 x 3650 mm

LYNXCO20121201

Alpine Ash

LYNXCO20121202

Royal Oak

LYNXCO20121203

Silver Beech

LYNXCO20121204

American Walnut

LYNXCO20121205

Ruby Pine

LYNXCO20121221

Anthracite



LYNX Contura 70

70 x 50 mm Profile
(H x W x L) 70 x 50 x 3650 mm

LYNXCO202131201

Alpine Ash

LYNXCO202131202

Royal Oak

LYNXCO202131203

Silver Beech

LYNXCO202131204

American Walnut

LYNXCO202131205

Ruby Pine

LYNXCO202131221

Anthracite





LYNX Facade made of 150mm Siding Profiles, Royal Oak. Vertical and horizontal.

LYNX SIDING PANEL References

Classic or Modern?

Facades made of LYNX Siding Panels open up boundless possibilities. Building envelopes are not only valuable, durable, and beautifully sha-

ped, but they are also extremely individual and sustainable. LYNX products combine quality and aesthetics. Discover our products and find the solution that fits your project!



LYNX Facade made of 150 mm Siding Profiles, American Walnut



LYNX Facade made of 150 mm Siding Profiles, Royal Oak



Acoustic Panel Look for Modern Facades

With the new LYNX Accent profile, you create stylish highlights – both indoors and outdoors. Three finely crafted ribs, each 40 mm wide, are harmoniously distributed across the full width of our proven 150 mm siding profile. The recessed sections in between, finished in black, create a strong contrast and give the surface an elegant structure with a striking linear design.

LYNX 150 mm ACCENT PROFILE



LYNXAC 601201
12 x 150 mm Profile
Alpine Ash
(H x W x L) 12 x 150 x 3650 mm



LYNXAC 601202
12 x 150 mm Profile
Royal Oak
(H x W x L) 12 x 150 x 3650 mm



LYNXAC 601203
12 x 150 mm Profile
Silver Beech
(H x W x L) 12 x 150 x 3650 mm




LYNXAC 601204
12 x 150 mm Profile
American Walnut
(H x W x L) 12 x 150 x 3650 mm



LYNXAC 601205
12 x 150 mm Profile
Ruby Pine
(H x W x L) 12 x 150 x 3650 mm



LYNXAC 601221
12 x 150 mm Profile
Anthracite
(H x W x L) 12 x 150 x 3650 mm



Perfect Corners for Seamless Design

The system is completed by a precisely matched corner profile that allows for seamless, continuous cladding – for a cohesive design down to the last detail. The result: A modern aluminium facade with strong presence, long-lasting quality, and versatile design possibilities.

LYNX ACCENT OUTSIDE CORNER PROFILE



LYNXACCOC01
20 x 20 mm Profile
Alpine Ash
(H x W x L) 20 x 20 x 3650 mm



LYNXACCOC02
20 x 20 mm Profile
Royal Oak
(H x B x L) 20 x 20 x 3650 mm



LYNXACCOC03
20 x 20 mm Profile
Silver Beech
(H x B x L) 20 x 20 x 3650 mm



LYNXACCOC04
20 x 20 mm Profile
American Walnut
(H x W x L) 20 x 20 x 3650 mm



LYNXACCOC05
20 x 20 mm Profile
Ruby Pine
(H x W x L) 20 x 20 x 3650 mm



LYNXACCOC21
20 x 20 mm Profile
Anthracite
(H x W x L) 20 x 20 x 3650 mm



LYNX 40 x 150 mm CLICK PROFILE



LYNXCC261201

40 x 150 mm Click Profile
Alpine Ash
(H x W x L) 40 x 150 x 3650 mm



LYNXCC261202

40 x 150 mm Click Profile
Royal Oak
(H x W x L) 40 x 150 x 3650 mm



LYNXCC261203

40 x 150 mm Click Profile
Silver Beech
(H x W x L) 40 x 150 x 3650 mm



LYNXCC261204

40 x 150 mm Click Profile
American Walnut
(H x W x L) 40 x 150 x 3650 mm



LYNXCC261205

40 x 150 mm Click Profile
Ruby Pine
(H x W x L) 40 x 150 x 3650 mm




LYNXCC261221

40 x 150 mm Click Profile
Anthracite
(H x W x L) 40 x 150 x 3650 mm

The LYNX Click Profile System

consists of two precisely manufactured, mirror-like aluminum shells. The first half is screwed directly to the substructure at the designated grooves (optionally on the wide or narrow sides). Then, the second shell is simply mounted with a 'click', creating a perfect aluminum square channel. Whether it remains empty or is used as an installation channel for electricity, water, or other supply lines is left to your imagination.



LYNX 40 x 100 mm CLICK PROFILE



LYNXCC241201
40 x 100 mm Click Profile
Alpine Ash
(H x W x L) 40 x 100 x 3650 mm



LYNXCC241202
40 x 100 mm Click Profile
Royal Oak
(H x W x L) 40 x 100 x 3650 mm



LYNXCC241203
40 x 100 mm Click Profile
Silver Beech
(H x W x L) 40 x 100 x 3650 mm



LYNXCC241204
40 x 100 mm Click Profile
American Walnut
(H x W x L) 40 x 100 x 3650 mm



LYNXCC241205
40 x 100 mm Click Profile
Ruby Pine
(H x W x L) 40 x 100 x 3650 mm



LYNXCC241221
40 x 100 mm Click Profile
Anthracite
(H x W x L) 40 x 100 x 3650 mm



LYNX 40 x 50 mm CLICK PROFILE



LYNXCC221201

40 x 50 mm Click Profile
Alpine Ash
(H x W x L) 40 x 50 x 3650 mm



LYNXCC221202

40 x 50 mm Click Profile
Royal Oak
(H x W x L) 40 x 50 x 3650 mm



LYNXCC221203

40 x 50 mm Click Profile
Silver Beech
(H x W x L) 40 x 50 x 3650 mm



LYNXCC221204

40 x 50 mm Click Profile
American Walnut
(H x W x L) 40 x 50 x 3650 mm



LYNXCC221205

40 x 50 mm Click Profile
Ruby Pine
(H x W x L) 40 x 50 x 3650 mm




LYNXCC221221

40 x 50 mm Click Profile
Anthracite
(H x W x L) 40 x 50 x 3650 mm

LYNX Screen Walls

The appearance of a building is defined by its facade. With the different cross-sections of our Click Profiles, it is possible to set creative accents through their combination, creating an exciting interplay of light and shadow. Large areas acquire a lively surface. Through partial installation, parts of the building structure or facade interact with each other in a dynamic way. Exceptional building materials for extraordinary structures.



There are virtually no limits to creativity in facade design.

LYNX 20 x 90 mm CLICK PROFILE



LYNXCC343121201
20 x 90 mm Click Profile
Alpine Ash
(H x W x L) 20 x 90 x 3650 mm



LYNXCC343121202
20 x 90 mm Click Profile
Royal Oak
(H x W x L) 20 x 90 x 3650 mm



LYNXCC343121203
20 x 90 mm Click Profile
Silver Beech
(H x W x L) 20 x 90 x 3650 mm



LYNXCC343121204
20 x 90 mm Click Profile
American Walnut
(H x W x L) 20 x 90 x 3650 mm



LYNXCC343121205
20 x 90 mm Click Profile
Ruby Pine
(H x W x L) 20 x 90 x 3650 mm



LYNXCC343121221
20 x 90 mm Click Profile
Anthracite
(H x W x L) 20 x 90 x 3650 mm





LYNX 20 x 70 mm CLICK PROFILE



LYNXCC3423401

20 x 70 mm Click Profile
Alpine Ash
(H x W x L) 20 x 70 x 3650 mm



LYNXCC3423402

20 x 70 mm Click Profile
Royal Oak
(H x W x L) 20 x 70 x 3650 mm



LYNXCC3423403

20 x 70 mm Click Profile
Silver Beech
(H x W x L) 20 x 70 x 3650 mm



LYNXCC3423404

20 x 70 mm Click Profile
American Walnut
(H x W x L) 20 x 70 x 3650 mm



LYNXCC3423405

20 x 70 mm Click Profile
Ruby Pine
(H x W x L) 20 x 70 x 3650 mm



LYNXCC3423421

20 x 70 mm Click Profile
Anthracite
(H x W x L) 20 x 70 x 3650 mm


Profile End Caps

For all LYNX Click Cladding Profiles, there are color-coordinated end caps that are simply attached to the open ends.



Figure	Profile		Color	Length (mm)	Weight (kg/m)
Lynx Endkappen					
	Lynx 40 x 150 mm End Cap for 40 x 150 Click Profile	LYNXCCE2601 LYNXCCE2602 LYNXCCE2603 LYNXCCE2604 LYNXCCE2605 LYNXCCE2621	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	150	0,25
	Lynx 40 x 100 mm End Cap for 40 x 100 Click Profile	LYNXCCE2401 LYNXCCE2402 LYNXCCE2403 LYNXCCE2404 LYNXCCE2405 LYNXCCE2621	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	100	0,25
	Lynx 40 x 50 mm End Cap for 40 x 50 Click Profile	LYNXCCE2201 LYNXCCE2202 LYNXCCE2203 LYNXCCE2204 LYNXCCE2205 LYNXCCE2221	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	50	0,25
	Lynx 20 x 90 mm End Cap for 20 x 90 Click Profile	LYNXCCE3431201 LYNXCCE3431202 LYNXCCE3441203 LYNXCCE3431204 LYNXCCE3431205 LYNXCCE3431221	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	90	0,25
	Lynx 40 x 70 mm End Cap for 40 x 70 Click Profile	LYNXCCE3423401 LYNXCCE3423402 LYNXCCE3423403 LYNXCCE3423404 LYNXCCE3423405 LYNXCCE3423421	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	70	0,25





LYNX Substructure



SS25
3,5 x 25 mm Stainless Steel
Shoulder Screw
(W x L) Ø 3 x 25 mm



JS10MF
Siding Starter J-Strip
(H x W x L) 8 x 25 x 3050 mm



JS10VPC
Siding Starter J-Strip ventilated with insect screen
(H x W x L) 28 x 30 x 3050 mm



HT3411210PMF
Hat Channel ventilated
(H x W x L) 88 x 19 x 3050 mm



HT3411210PPC
Hat Channel ventilated black powder coated
(H x W x L) 28 x 30 x 3050 mm




LYNXCEM22MF
End mount profile for Click Profile 40 x 50
(H x W x L) 45 x 21 x 40 mm



LYNXCEM24MF
End mount profile for Click Profile 40 x 100
(H x W x L) 95 x 21 x 40 mm




LYNXCEM26MF
End mount profile for Click Profile 40 x 150
(H x W x L) 145 x 21 x 40 mm



Alpine Ash 01



Royal Oak 02



Silver Beech 03



American Walnut 04



Ruby Pine 05



Anthracite 21

All profiles on this page are available in all LYNX decors.



**Quik-Trim J-Mold
incl PVC Base**

(H x W x L) 25 x 20 x 3050 mm

- QTJM10F01 Alpine Ash
- QTJM10F02 Royal Oak
- QTJM10F03 Silver Beech
- QTJM10F04 American Walnut
- QTJM10F05 Ruby Pine
- QTJM10F21 Anthracite



**Quik-Trim Windows
J-Mold incl PVC Base**

(H x W x L) 25 x 40 x 3050 mm

- QTWJM10F01 Alpine Ash
- QTWJM10F02 Royal Oak
- QTWJM10F03 Silver Beech
- QTWJM10F04 American Walnut
- QTWJM10F05 Ruby Pine
- QTWJM10F21 Anthracite



**Quik-Trim H-Mold
incl PVC Base**

(H x W x L) 25 x 40 x 3050 mm

- QTHM10F01 Alpine Ash
- QTHM10F02 Royal Oak
- QTHM10F03 Silver Beech
- QTHM10F04 American Walnut
- QTHM10F05 Ruby Pine
- QTHM10F21 Anthracite



**Quik-Trim Outside Corner
incl PVC Base**

(H x W x L) 25 x 25 x 3050 mm

- QTOC10F01 Alpine Ash
- QTOC10F02 Royal Oak
- QTOC10F03 Silver Beech
- QTOC10F04 American Walnut
- QTOC10F05 Ruby Pine
- QTOC10F21 Anthracite



**Quik-Trim Inside Corner
incl PVC Base**

(H x W x L) 40 x 40 x 3050 mm

- QTIC10F01 Alpine Ash
- QTIC10F02 Royal Oak
- QTIC10F03 Silver Beech
- QTIC10F04 American Walnut
- QTIC10F05 Ruby Pine
- QTIC10F21 Anthracite

More information
on assembly at:



[https://lynx-designs.com/
wp-content/uploads/2023/02/
Lynx-Installationsanleitung-
DE-Feb-2023.pdf](https://lynx-designs.com/wp-content/uploads/2023/02/Lynx-Installationsanleitung-DE-Feb-2023.pdf)





STOUN

apdailos medžiagų salonas

Panerių g. 45 Vilnius | www.stoun.lt
El.p.: info@stoun.lt | tel.: +370699 30223