







Natural beauty in fibre cement



CEMENT SLATES

FIBRE CEMENT A MATERIAL WITH ITS OWN LANGUAGE

SVK slates are composed of a homogeneous mixture of Portland cement, selected reinforcement fibres of superior quality, additives and water.

DIMENSIONAL STABILITY

SVK slates offer structural consistency, requiring no preliminary grading before fixing. This combined with their ease of installation results in considerable savings in time and associated costs on site.

LIGHT WEIGHT

Due to their light weight, SVK slates do not require a heavy load bearing roof construction, which means less timber is required for the structure.

EASY TO HANDLE & WORK WITH

The strength and stability of SVK slates make them resistant to breakage and very easy to work with on site. SVK slates are strapped in easy to handle bundles.

MOSS INHIBITING CONSTITUENTS

In order to prevent moss growth, special moss inhibiting constituents are added to the double coating.

ENVIRONMENTALLY FRIENDLY

At SVK we take our environmental responsibilities seriously. Along with using organic fibres, SVK slates are also coated with a high-quality and durable acrylic paint, which is water-based.

8 DIFFERENT COLOURS & 4 DIFFERENT FINISHES

Choose between 4 different finishes: textured with dressed edges, smooth with dressed edges, textured with squared edges and smooth with squared edges.


Choose between 8 colours: blue-black, premium black, terracotta, cloudy grey, natural grey, iron grey, quartz grey and manganese brown. Our wide range of ridge tiles and other accessories helps you to achieve a perfect finish to your roof & facade.



06

OYA OUR

A family company with a rich tradition and a focus towards the future.





PAST

FUTURE

MORE THAN 115 YEARS OF BUILDING-KNOW-HOW

A family business with a rich tradition and a focus on the future. We currently have **over**115 years of experience as a producer and distributor of construction materials. Thanks to this experience we know better than anyone how to adapt to constant evolution.

Today our specialty is the production of fibre cement, a material made from a combination of reinforcing fibres, additives, cement and water.

Fibre cement is used for both roofing and façade applications. From agricultural applications involving **sheets of corrugated material** to unique design projects using **slates** and **facade panels**.

Through continuous product development, we constantly try to bring out new and unique products. In this way every roof & facade gets its own touch.

In addition, ecology is an increasingly important element in the building sector. Partly thanks to the recycling of our residual material, we try to meet these important requirements. To this end, we are constantly optimising our machines.



ARDONIT

All advantages
of fibre cement
slates in a
modern look



SYK ARDONIT

ARDONIT SMOOTH & TEXTURED

Looking for a slate that combines a range of creative possibilities with sustainability? Thanks to their unique finish quality, SVK fibre cement slates are the best choice.

The Ardonit slates are available with a smooth and a textured finish. You can also recognise them at all times by their straight edges.




THE DIFFERENCE LIES IN THE DETAILS

The Ardonit slate is available in 8 different standard colours. The smooth Ardonit slate is perfect for both roof and facade applications and/or a combination of both.

The various available formats make it possible to use a range of different installation methods. In addition, the slates are extremely light yet exceptionally strong, making them easy to work with.







FINISH

ARDONIT SMOOTH

The smooth Ardonit slate always has a smooth surface with straight edges. The coated slates also have a double coloured coating based on an environmentally friendly, water-based acrylic resin.

ARDONIT TEXTURED

The Ardonit textured slates always has a structured surface with straight edges. The texture is horizontally oriented for 60/30 and vertically oriented for 40/20 slate. This slate has the same coating as the smooth Ardonit slate.

COLOURS

ARDONIT



Blue black: 40/20, 40/24, 40/27, 40/40/10, 40/40/5, 45/30, 60/30, 60/30/5, 60/30/9, 60/32, 60/40 cm

Premium Black: 40/20, 40/40/10, 40/40/5, 45/30, 60/30, 60/32 cm

Terracotta: 40/24, 40/27, 40/40/10, 40/40/5, 60/30 cm **Manganese brown**: 40/24, 40/27, 40/40/5, 60/30, 40/40 cm

Iron & quartz grey: 60/30 cm

Cloudy grey: 40/40/10, 40/40/5, 60/30 cm

Natural grey: 40/20, 40/24, 40/27, 40/40/10, 40/40/5, 45/30, 60/30, 60/30/5, 60/30/9, 60/32, 60/40 cm

SIZES

ARDONIT SMOOTH

- 60/40 cm
- 60/32 cm
- 60/30 cm
- 45/30 cm
- 40/20 cm
- 40/27 cm
- 40/24 cm
- 40/40/5 cm*
- 40/40/10 cm*
- 60/30/5 cm
- 60/30/9 cm
- * Diamond slate

ARDONIT TEXTURED

- 60/32 cm
- 40/20 cm

т 11





SYK MONTANA

MONTANA SMOOTH & TEXTURED

Lovers of natural slates will certainly find what they are looking for at the Montana product range. This blue-black slate has natural looking dressed edges and is available with a textured or smooth surface. The different sizes make it possible to create a rural or more rustic character.

Moreover, Montana slates not only have the looks of natural slates, but also all the advantages of fibre cement. The direction of the relief on the Montana textured slates is always vertical.

MONTANA -336 - BLUE BLACK - 407 24 CM

THE ADVANTAGES OF A MONTANA SLATE

Montana slates are dimensionally stable and therefore do not need to be pre-sorted, which makes installation easier. Montana slates have a constant quality because they always have the same shape and thickness. The dressed edges of each slate are unique and making it look very natural. Moreover, the Montana slates are available in larger sizes, which also makes installation easier and quicker. The Montana slates are insensitive to breakage due to pyrite crystals, cracks, bumps and cavities that often occur with natural slates.







FINISH

MONTANA TEXTURED

The Montana textured slate has a textured surface with dressed edges. The texture is always vertically oriented. Each slate has a double coloured coating based on an environmentally friendly, water-based acrylic resin.

MONTANA SMOOTH

The smooth Montana slate has a smooth surface with dressed edges. This slate also has a double coloured coating based on an environmentally friendly, water-based acrylic resin.

COLOUR



SIZES

MONTANA SMOOTH

- 60/30 cm
- 45/30 cm
- 40/27 cm

MONTANA TEXTURED

- 60/30 cm
- 45/30 cm
- 40/27 cm
- 40/24 cm



FASONIT

Unique & innovative for an ultramodern look



SYK FASONIT

FASONIT SMOOTH & TEXTURED

Fasonit is a slate for both roof and facade, also made from double-pressed fibre cement. It measures 60 by 30 cm. Fasonit slates are available in a smooth or textured version, with or without five predrilled holes and in two standard colours: snow-white and cream. The predrilled holes make it easy to install on walls.

New construction or renovation, Fasonit gives every building structure a visible added value.

ENDLESS COLOUR OPTIONS

For projects from 100 m² slates almost all RAL and NCS colours can be produced on request.









FASONIT TEXTURED -13 - SNOW WHITE

FASONIT SMOOTH -12-CREAM

FINISH

FASONIT SMOOTH

The Fasonit smooth slate always has a smooth surface with straight edges. These slates have a double coloured coating based on an environmentally friendly, water-based acrylic resin. Available with 5 predrilled holes or without holes.

FASONIT TEXTURED

The Fasonit smooth slate always has a textured surface with straight edges. The structure on this slate is always orientated horizontally. These slates have the same coating as the smooth slates. Available with 5 predrilled holes or without holes.

COLOURS



SIZES

FASONIT SMOOTH

FASONIT TEXTURED

• 60/30 cm


• 60/30 cm





COVERING METHODS

Below is a list of some common methods of coverage. There are, of course, several other possibilities. For more information about other possible coverage methods, please contact our technical department.




VERTICAL DOUBLE-LAP

For both roof and facade applications

APPLICABLE SIZES: 60/40, 60/32, 60/30, 45/30, 40/27, 40/24, 40x20

cm




HORIZONTAL DOUBLE-LAP

For both roof and facade applications

APPLICABLE SIZES: 60/32, 60/30, 45/30, 40/27, 40/24,

40/20 cm, 60/30/5*, 60/30/9


* Only for facade applications



SWISS COVERING

For both roof and facade applications

APPLICABLE SIZES: 60/30, 40/27, 40/24, 40/20 cm




COVERING WITH OPEN JOINT

Only for facades

APPLICABLE SIZES: 60/40, 60/30, 45/30, 40/27, 40/24,

40/20 cm




DIAMOND COVERING

For both roof and facade applications

APPLICABLE SIZES: 40/40/5*, 40/40/10 cm

* Only for facade applications



CHECKERBOARD PATTERN

Only for facades

APPLICABLE SIZES: 40/40/10 cm



The synthesis of the sy



The best quality guaranteed





STRONGEST SLATES

SVK slates are the strongest slates available on the market. No other slate comes close to our values concerning bending strength. This is achieved because SVK exclusively use and source fibres of the best quality and because our fibre cement is double pressed.



EXTREMELY DURABLE

Our slates are extremely durable. The water absorption of our slates is, on average, half the value of other manufacturers. SVK is the only manufacturer who applies a double paint coating on the front side and the edges of the slates. This low water absorption enhances the durability of the slates, it is out of the question that they would suffer frost damage.



HIGH QUALITY PAINTING

The quality of the paint coat on our slates is unequalled. SVK has more than 70 years of experience in preparation and application of paint. Furthermore, SVK invested in the installation of the most modern paint line in Europe. This technical leap enables SVK to produce slates with an extraordinary high UV-resistance, a super smooth surface where moss doesn't attach and an unequalled paint adhesion.



SUPPORT & TECHNICAL SERVICE


At SVK we have a technical support team at your service to assist on all technical questions you have about the slates They can assist on certification, installation, warranty and much more...



LARGE CAPACITY

We have a production site of 140 Ha in Sint-Niklaas (Belgium). All necessary production facilities are available to organise the complete production of fibre cement slates ourselves.









France
Germany
Ireland
United-Kingdom
United-States
Turkey
Poland
Switzerland
Spain
Iceland
Australia
India
Cyprus

BRAND NAME	ARDONIT SMOOTH		ARDONIT TEXTURED	MONTANA SMOOTH	MONTANA TEXTURED		FASONIT		
SHAPE				• • •					
FINISH	» Smooth surface» Straight edges» No holes	» Smooth surface» Straight edges» 2 bevelled corners» Straight» 3 holesroof (40)	for facade & 40/10) s for facade	"Smooth surface "Straight edges "3 holes for facade (60/30/5) "3 holes for roof (60/30/9)	" Textured surface " 60/32: horizontal " 40/20: vertical " Straight edges " No holes	» Smooth surface» Dressed edges» No holes	» Textured surface» Dressed edges» No holes		" Textured or smooth surface " With 5 or without predrilled holes
SIZE (CM)	60/40** 60/30 40/27 45/30** 40/24 40/20 60/32	60/30 45/30 40/40/5 cutted corners	40/40/10	60/30/5 60/30/9	60/32 40/20	60/30 45/30 40/27	60/30 45/30 40/27 40/24	45/30 Cutted corners	60/30
THICKNESS	4 4 4	4 4 4	4	4	4	4	4	4	4
COLOURS	336 BLUE BLACK BROWN* 150 365 NATURAL GREY*QUARTZ GREY* TERRACOTTA	353 MANGANESE BROWN BLACK* 340 150 340 340 353 MANGANESE BROWN* 340 340 340	150	336 BLUE BLACK 150 NATURAL GREY*	336 BLUE-BLACK	336 BLUE BLACK	336 BLUE BLACK	336 BLUE BLACK	13 SNOW WHITE 12 CREAM
	333 PREMIUM BLACK 150 NATURAL GREY 150 NATURAL GREY	333 Y*PREMIUM BLACK PREMIUM BLACK* 150 NATURAL GREY* 150 NATURAL GR 345 CLOUDY GR							Almost all RAL and NCS colours are possible from 100 m²

^{*} On command * * Not available in the colour Premium black

PRODUCT OVERVIEW I



INSPIRE AND BE INSPIRED

Explore our website and find the right inspiration for your project. SVK's range of slates gives you endless possibilities.
Together we will make your project a gem.







SVK NV.

Aerschotstraat 114 B-9100 Sint-Niklaas T: +32 3 760 49 00 F: +32 3 777 47 84 info@svk.be www.svk.global

WWW.SVK.GLOBAL

© 2021, SVK nv. The colours printed in this brochure are similar to may well be the reality. SVK can provide the information in this brochure at adapt at any time without prior notice. Photography by: Dominique Van Huffel, Johnny Umans, Luc Roymans and Jeroen Gijselinckx - SVK04.21_GLOBAL_SLA_04.1